

iOS Development

Lecture 1

Introduction to Objective-C

Ing. Simone Cirani

email: simone.cirani@unipr.it

<http://www.tlc.unipr.it/cirani>

Lecture Summary

- Objective-C language basics
- Classes and objects
- Methods
- Instance variables and properties
- Dynamic binding and introspection
- Foundation framework
- Object creation
- Memory management
- Automatic Reference Counting
- Protocols
- Categories



References

7

iOS Developers Library

<https://developer.apple.com/library/ios/documentation/cocoa/conceptual/ProgrammingWithObjectiveC>
<https://developer.apple.com/library/ios/navigation/>




CS193P - Stanford class on iOS

<http://www.stanford.edu/class/cs193p/cgi-bin/drupal/>
<https://itunes.apple.com/us/course/coding-together-developing/id593208016>



Programming iOS 7

by Matt Neuburg
O'Reilly Media - September 2013
<http://shop.oreilly.com/product/0636920031017.do>



iOS 7 Programming Fundamentals

by Matt Neuburg
O'Reilly Media - September 2013
<http://shop.oreilly.com/product/0636920032465.do>

Objective-C

- Objective-C is the primary programming language you use when writing software for OS X and iOS
- Objective-C is a strict superset of the C programming language and provides object-oriented capabilities and a dynamic runtime
 - it is possible to compile any C program with the Objective-C compiler
 - it is possible to include any C statement within an Objective-C program
 - it is even possible to include C++ code inside Objective-C, but the compiler must properly instructed to process C++ code
- Objective-C inherits the syntax, primitive types, and flow control statements of C and adds syntax for defining classes and methods
- All the syntax that is not related to object-oriented features of the language is the same as classical C syntax

Objective-C programs

- Objective-C programs are split into two main types of files:
 - **.h** files: define the interfaces, that is which functionalities are exposed to other parts of the code; classes, data structures, and methods are defined in the interface file
 - **.m** files: implement the interfaces defined in the corresponding .h file
- In case an implementation file contains C++ code, it must be named using the **.mm** extension
- Only the interface can be accessed from other parts of your code; the implementation file is opaque!

```
// MDPoi.h
// iMobdev
//
// Created by Simone Cirani on 30/09/13.
// Copyright (c) 2013 Università degli Studi
// di Parma. All rights reserved.
//

#import <Foundation/Foundation.h>

@interface MDPoi : NSObject{

    NSString *_name;
    double _latitude;
    double _longitude;
}

- (id) initWithName:(NSString *)name latitude:
(double)latitude longitude:(double)longitude;

- (double) latitude;
- (double) longitude;

@property (nonatomic,copy) NSString *name;

- (void) log;

@end
```

.h

```
// MDPoi.m
// iMobdev
//
// Created by Simone Cirani on 30/09/13.
// Copyright (c) 2013 Università degli Studi
// di Parma. All rights reserved.
//

#import "MDPoi.h"

@implementation MDPoi

@synthesize name = _name;

- (id) initWithName:(NSString *)name latitude:
(double)latitude longitude:(double)longitude{
    NSLog(@"%s", __FUNCTION__);
    if(self = [super init]){
        _name = [name copy];
        _latitude = latitude;
        _longitude = longitude;
    }
    return self;
}

- (double) latitude{
    return _latitude;
}

- (double) longitude{
    return _longitude;
}

- (void) log{
```

.m

Defining classes

- Classes are defined in the interface file, between the `@interface` directive and the corresponding `@end`
- Everything inside the interface block defines the class' structure (instance variables) and functionalities

```
#import <Foundation/Foundation.h>

@interface MDPoi : NSObject{

    NSString *_name;
    double _latitude;
    double _longitude;

}

- (void)setLatitude:(double)lat;

@end
```

MDPoi.h

Defining classes

- Let's define a new class called MDPoi, used to hold a point of interest, with name, latitude, and longitude

```
#import <Foundation/Foundation.h>
```

```
@interface MDPoi : NSObject{
```

```
    NSString *_name;  
    double _latitude;  
    double _longitude;
```

```
}
```

```
– (void)setLatitude:(double *)lat;
```

```
@end
```

Defining classes

- Let's define a new class called MDPoi, used to hold a point of interest, with name, latitude, and longitude

```
#import <Foundation/Foundation.h>
```

← Import the header for **NSObject** class

```
@interface MDPoi : NSObject{
```

```
    NSString *_name;  
    double _latitude;  
    double _longitude;
```

```
}
```

```
- (void)setLatitude:(double *)lat;
```

```
@end
```

Defining classes

- Let's define a new class called MDPoi, used to hold a point of interest, with name, latitude, and longitude

```
#import <Foundation/Foundation.h>
```

```
@interface MDPoi : NSObject{
```

```
    NSString *_name;  
    double _latitude;  
    double _longitude;
```

```
}
```

```
– (void)setLatitude:(double *)lat;
```

```
@end
```

Declare the **MDPoi** class

Defining classes

- Let's define a new class called MDPoi, used to hold a point of interest, with name, latitude, and longitude

```
#import <Foundation/Foundation.h>
```

```
@interface MDPoi : NSObject{
```

```
    NSString *_name;  
    double _latitude;  
    double _longitude;
```

```
}
```

```
– (void)setLatitude:(double *)lat;
```

```
@end
```

Extends the NSObject class



Defining classes

- Let's define a new class called MDPoi, used to hold a point of interest, with name, latitude, and longitude

```
#import <Foundation/Foundation.h>
```

```
@interface MDPoi : NSObject {
```

```
    NSString *_name;
```

```
    double _latitude;
```

```
    double _longitude;
```

```
}
```

```
- (void)setLatitude:(double *)lat;
```

```
@end
```

Instance variables must be declared between curly braces

Defining classes

- Let's define a new class called MDPoi, used to hold a point of interest, with name, latitude, and longitude

```
#import <Foundation/Foundation.h>
```

```
@interface MDPoi : NSObject{
```

```
    NSString *_name;  
    double _latitude;  
    double _longitude;
```

← Instance variables must be declared between curly braces

```
}
```

```
– (void)setLatitude:(double *)lat;
```

```
@end
```

Defining classes

- Let's define a new class called MDPoi, used to hold a point of interest, with name, latitude, and longitude

```
#import <Foundation/Foundation.h>
```

```
@interface MDPoi : NSObject{
```

```
    NSString *_name;  
    double _latitude;  
    double _longitude;
```

```
}
```

```
– (void)setLatitude:(double *)lat; ← Methods must be defined outside the curly braces
```

```
@end
```

Implementing classes

- Now, let's implement the MDPoi class defined in the MDPoi.h interface file

```
#import "MDPoi.h"

@implementation MDPoi

- (void)setLatitude:(double *)lat{
    _latitude = lat;
}

@end
```

MDPoi.m

Implementing classes

- Now, let's implement the MDPoi class defined in the MDPoi.h interface file

```
#import "MDPoi.h" ← Import the interface header file
```

```
@implementation MDPoi
```

```
– (void)setLatitude:(double *)lat{  
    _latitude = lat;  
}
```

```
@end
```

Implementing classes

- Now, let's implement the MDPoi class defined in the MDPoi.h interface file

```
#import "MDPoi.h"
```

```
@implementation MDPoi
```

← The implementation of the interface must be between the `@implementation` directive and the corresponding `@end`

```
- (void)setLatitude:(double *)lat{  
    _latitude = lat;  
}
```

```
@end
```

Implementing classes

- Now, let's implement the MDPoi class defined in the MDPoi.h interface file

```
#import "MDPoi.h"
```

```
@implementation MDPoi
```

```
- (void)setLatitude:(double *)lat{  
    _latitude = lat;  
}
```

```
@end
```

The declared methods must be implemented
(a warning is issued if not, but no error - only at runtime)

Special keywords: `id`, `nil`, `BOOL`, and `self`


- In Objective-C, all objects are allocated in the heap, so to access them we always use a pointer to the object
- `id` means a pointer to an object of any kind (similar `void*` in C)
- `nil` is the value of a pointer that points to nothing (**NULL** in C)
- `BOOL` is the type defined (**typedef** in file `objc.h`) by Objective-C for boolean values
 - `YES` == 1 (true)
 - `NO` == 0 (false)
- `self` means a pointer to the current object (similar `this` in Java)


Objective-C methods

- Objective-C objects talk to each other by sending messages
- In Objective-C, method invocation is based on **message passing** to objects
- Message passing differs from classical method calls because the method to be executed is not bound to a specific section of code (in most cases at compile-time) but **the target of the message is dynamically resolved at runtime**, so it might happen that the receiver won't respond to that message (no type checking can be performed at compile-time)
- If the receiver of a message does not respond to the message, an exception is thrown
- It is possible to send a message to **nil**: no NullPointerException is thrown (0 is returned)

Sending messages

- Square brackets are used to send messages





Method syntax

– `(NSArray *)pointsWithinRange:(double)distance fromPoi:(MDPoi *)poi;`

Method syntax

- (NSArray *)pointsWithinRange:(double)distance fromPoi:(MDPoi *)poi;

- **Instance methods** (relative to the particular object that is the target of the message) begin with a minus sign;
 - they can access instance variables
- **Class methods** (relative to the class itself) begin with a plus sign;
 - accessible through the class name (no need for an instance)
 - they cannot access instance variables
 - utility methods and allocation methods are typically class methods

Method syntax

– `(NSArray *)pointsWithinRange:(double)distance fromPoi:(MDPoi *)poi;`

Return type (between parentheses)

Method syntax

– (NSArray *) **pointsWithinRange:** (double) distance **fromPoi:** (MDPoi *) poi;

↑
First part of
method name

↑
Second part of
method name

This method's name is `pointsWithinRange:fromPoi:`

Method syntax

– (NSArray *)pointsWithinRange:(double)distance fromPoi:(MDPoi *)poi;

↑
First argument of type
double

↑
Second argument of type
MDPoi*

Methods in Objective-C

- Method names in Objective-C sound like sentences natural language

```
pointsWithinRange:fromPoi:
```

- Some methods have very long names:

```
- (BOOL)tableView:(UITableView *)tableView  
  canPerformAction:(SEL)action  
  forRowAtIndexPath:(NSIndexPath *)indexPath  
  withSender:(id)sender;
```

- In order to keep the code readable, it is better to align colons

Instance variables

- By default, instance variables are **@protected**
- **@private**: can be accessed only within the class itself
- **@protected**: can be accessed directly within the class itself and its subclasses
- **@public**: can be accessed anywhere in the code (not a good OOP practice!)
- Good practice in OOP is to mark all instance variables as private and use getter and setter methods to access them

MDPoi class revised

```
#import <Foundation/Foundation.h>
```

```
@interface MDPoi : NSObject{
```

```
    @private
```

```
    NSString *_name;
```

```
    double _latitude;
```

```
    double _longitude;
```

```
}
```

```
- (double)latitude;
```

```
- (void)setLatitude:(double)lat;
```

```
- (double)longitude;
```

```
- (void)setLongitude:(double)lon;
```

```
@end
```

MDPoi class revised

```
#import <Foundation/Foundation.h>
```

```
@interface MDPoi : NSObject{
```

```
    @private
```

← All instance variables are private

```
    NSString *_name;  
    double _latitude;  
    double _longitude;
```

```
}
```

```
- (double)latitude;  
- (void)setLatitude:(double)lat;  
  
- (double)longitude;  
- (void)setLongitude:(double)lon;
```

```
@end
```

MDPoi class revised

```
#import <Foundation/Foundation.h>
```

```
@interface MDPoi : NSObject{
```

```
    @private
```

```
    NSString *_name;
```

```
    double _latitude;
```

```
    double _longitude;
```

```
}
```

```
- (double)latitude; ← getter method for _latitude ivar
```

```
- (void)setLatitude:(double)lat;
```

```
- (double)longitude;
```

```
- (void)setLongitude:(double)lon;
```

```
@end
```

MDPoi class revised

```
#import <Foundation/Foundation.h>
```

```
@interface MDPoi : NSObject{
```

```
    @private
```

```
    NSString *_name;
```

```
    double _latitude;
```

```
    double _longitude;
```

```
}
```

```
- (double)latitude;
```

```
- (void)setLatitude:(double)lat;
```

← setter method for _latitude ivar

```
- (double)longitude;
```

```
- (void)setLongitude:(double)lon;
```

```
@end
```

MDPoi class revised

```
#import <Foundation/Foundation.h>

@interface MDPoi : NSObject{

    @private
    NSString *_name;
    double _latitude;
    double _longitude;

}

- (double) latitude;
- (void) setLatitude:(double) lat;

- (double) longitude;
- (void) setLongitude:(double) lon;

@end
```

MDPoi.h

```
...

- (double) latitude{
    return _latitude;
}

- (void) setLatitude:(double) lat{
    _latitude = lat;
}

- (double) longitude{
    return _longitude;
}

- (void) setLongitude:(double) lon{
    _longitude = lon;
}

...
```

MDPoi.m

Accessing ivar with getters and setters

```
// get the value of _latitude  
double lat = [poi latitude];
```

```
// set the value of _latitude  
[poi setLatitude:12.0f];
```

Properties

- Properties are a convenient way to get/set the value of instance variables using dot notation
- The main advantage is to avoid the congestion of brackets in the code and to allow for more readable concatenated method invocations
- It is VERY IMPORTANT to pay attention to the lowercase and uppercase letters in the method name: **the compiler can understand the dot notation only if the names of the getter and setter methods are correct!**

```
double lat = [poi latitude];  $\longleftrightarrow$  double lat = poi.latitude;  
[poi setLatitude:12.0f];  $\longleftrightarrow$  poi.latitude = 12.0f;
```

Compiler-generated properties

- It is possible to define all the getters and setters by hand, but let the compiler help you do the job
- The `@property` keyword instructs the compiler to generate the getter and setter definitions for you

- `(double)latitude;`
- `(void)setLatitude:(double)lat;` \longleftrightarrow `@property double latitude;`

- If only a getter method is needed it is possible to specify it to the compiler by adding the “readonly” keyword after `@property`

- `(double)latitude;` \longleftrightarrow `@property (readonly) double latitude;`

Properties

- Properties can also be defined without an instance variable that matches it

```
@property (readonly) NSString *detail;
```

```
- (NSString *)detail{  
    return [NSString stringWithFormat:@"%@" - (%f,%f)",  
           _name, _latitude, _longitude];  
}
```

```
NSString *str = poi.detail;
```

.h

.m

usage

Compiler-generated property implementation

- It is possible to let the compiler implement (synthesize) a property matching an instance variable by using the `@synthesize` directive within the implementation of the class
- Using `@synthesize` doesn't forbid to implement either property directly

```
@synthesize latitude = _latitude;
```

the backed ivar can have a
different name

getter/setter method depends
on property name

```
- (double) latitude{  
    return _latitude;  
}  
  
- (void) setLatitude:(double)lat{  
    _latitude = lat;  
}
```

Dynamic binding

- Objective-C is based on message passing for method invocation
- The resolution of the target of a message is done at runtime: no type checking can be performed at compile-time
- Specifying the type of an object when writing code does not let the compiler perform any type checking, but can only help to highlight possible bugs
- If an object receives a message which it cannot respond to (namely, the class or one of its superclasses does not implement that method) the application will crash
- Casting pointers is a way to “force” the execution of a method, but this should be done carefully (use **introspection**)
- **Make sure you always send messages to objects that can respond!**

Introspection

- Introspection allows to discover at runtime whether an object can respond or not to a message
- This is especially useful when all we can get are objects of type **id**, such as those that we can get from a collection
- How can we do these test? Any object that is a subclass of NSObject has the following methods:
 - **isKindOfClass:** can be used to check if the object's type matches a class or one of its subclasses
 - **isKindOfClass:** can be used to check if the object's type matches a class, strictly
 - **respondsToSelector:** can be used to check whether the object can respond to a given selector (a selector is a special type that indicates a method name)

Introspection

- `isKindOfClass:` and `isMemberOfClass:` take a `Class` object as an argument
- A `Class` object can be obtained by using the `class` method which can be invoked on any Objective-C class

```
if([obj isKindOfClass:[NSString class]]){  
    NSString *str = (NSString *)obj;  
    // do something with string  
    ...  
}
```



Introspection

- `respondsToSelector:` takes a **selector** (SEL) as an argument
- A selector can be obtained with the `@selector` keyword:

```
if( [obj respondsToSelector:@selector(lowercaseString)] ){  
    NSString *str = [obj lowercaseString];  
    ...  
}
```

- It is possible to ask an object to execute a selector:

```
SEL selector = @selector(lowercaseString);  
if( [obj respondsToSelector:selector] ){  
    NSString * str = [obj performSelector:selector];  
    ...  
}
```


NSObject

- NSObject is the base class for almost anything in iOS (similar to Object class in Java)
- Everything is an (NS)Object
- Provides class and instance methods for memory management
- Provides methods for introspection (**isKindOfClass:** and **isMemberOfClass:** and **respondToSelector:**)
- Basically, any custom class you will create will be directly or indirectly a subclass of NSObject


NSString & NSMutableString

- `NSString` is a class for managing Unicode strings in Objective-C instead C strings (`char*`)
- Provides useful methods to manipulate strings
- `NSString *str = @"This is an Objective-C string";`
- Note the `@` symbol at the beginning: it tells the compiler to handle it as `NSString`
- `NSString`s are immutable: typically, you get a new `NSString` from an existing one using `NSString` methods
- `NSMutableString` is a mutable `NSString` meaning that it can be manipulated at runtime
- `NSMutableString` is a `NSString`: all methods of `NSString` are available to `NSMutableString`
- With `NSMutableString` you can work with the same object without dealing with new ones

NSNumber

- **NSNumber** wraps primitive types into an object (**int**, **double**, **float**, ...)
- **NSNumber** objects can be used for storing them into collections, which require their elements to be objects

```
NSNumber *number = [NSNumber numberWithInt:2];  
int i = [number intValue];
```



NSData & NSMutableData

- **NSData** (and its mutable version **NSMutableData**) are used to store bytes
- Typically, **NSData** objects are returned by remote connections since iOS cannot determine in advance what type of data is being transferred (binary or textual)

NSDate

- **NSDate** allows to perform operations on dates:
 - calculations
 - formatting
- **NSTimeInterval (double)** is also used with **NSDate** to manage operations on dates

```
NSDate *now = [NSDate date];  
NSDate *nextHour = [NSDate dateWithTimeIntervalSinceNow:3600];  
NSTimeInterval delta = [now timeIntervalSinceDate:nextHour];
```

NSArray & NSMutableArray

- **NSArray** (and its mutable version **NSMutableArray**) provides an ordered list of objects
- Objects of different types can be stored in **NSArray**: introspection should be used to determine the type of each object stored

```
NSArray *array = [NSArray arrayWithObjects:@"string", [NSNumber numberWithInt:10], nil];  
int size = [array count];  
id first = [array objectAtIndex:0];  
id last = [array lastObject];
```

```
NSMutableArray *array2 = [NSMutableArray arrayWithObjects:@"str1", @"str2", nil];  
[array2 addObject:@"str3"];  
[array2 insertObject:@"first" atIndex:0];  
[array2 removeObjectAtIndex:1];
```

NSDictionary & NSMutableDictionary

- **NSDictionary** (and its mutable version **NSMutableDictionary**) provides a map of key/value pairs
- Both keys and values are objects
- Keys must belong to a class that implements the **hash** and **isEqual:** methods
- Usually, keys are **NSString** objects
- Objects of different types can be stored in **NSDictionary**: introspection should be used to determine the type of each object stored

```
NSDictionary *dict = [NSDictionary dictionaryWithObjectsAndKeys:  
    @"key1", @"value1", @"key2", @"value2", nil];  
int size = [dict count];  
id val = [dict objectForKey:@"key1"];
```

```
NSMutableDictionary *dict2 = [NSMutableDictionary dictionary];  
[dict2 setObject:@"value" forKey:@"key"];  
[dict2 removeObjectForKey:@"key"];
```

NSSet & NSMutableSet

- **NSSet** (and its mutable version **NSMutableSet**) provides an unordered list of objects
- Objects of different types can be stored in **NSSet**: introspection should be used to determine the type of each object stored

```
NSSet *set = [NSSet setWithObjects:@"obj1", @"obj2", @"obj3", nil];  
int size = [set count];  
id random = [set anyObject];
```

```
NSMutableSet *teachers = [NSMutableSet set];  
[teachers addObject:@"Simone"];  
[teachers addObject:@"Marco"];  
[teachers removeObject:@"Simone"];
```

Iterating over collections

- It is possible to iterate over a collection as if it were a classical array
- Since collections can store objects of any type, it is a good practice to check against types before sending messages in order to avoid crashes

```
for(int i = 0; i < [alphabet count]; i++){  
    id object = [alphabet objectAtIndex:i];  
    // do something with object  
    ...  
  
    if([object isKindOfClass:[NSString class]]){  
        // do something with string  
        ...  
    }  
}
```

Enumeration

- A more convenient way to iterate over a collection is through **enumeration**
- Enumeration is performed through **for-in** statements

```
for(id object in alphabet){
    if([object isKindOfClass:[NSString class]]){
        NSString *string = (NSString *)object;
        // do something with string
        ...
    }
}
```

- It is possible to avoid explicit casting ONLY IF YOU KNOW WHAT YOU ARE DOING!

```
for(NSString *string in alphabet){
    // do something with string
    ...
}
```

Object creation

- The procedure for creating an object in Objective-C requires two steps:
 1. memory allocation
 2. object instantiation and initialization
- Memory allocation is performed by invoking the `alloc` method of `NSObject`
- Object initialization occurs through an initializer method, which always begins with `init`

Memory allocation

- The `alloc` method asks the operating system to reserve a memory area to keep the object
- `alloc` is inherited by all classes that extend the `NSObject` class
- `alloc` also takes care of setting all instance variables to `nil`

Object initialization

- The `alloc` method returns allocates an object with `nil` instance variables
- Instance variables are properly set using an **initializer** method
- The name of an initializer always begins with `init`
- Every class has a so-called **designated initializer**, which is responsible for setting all the instance variables in such a way that the returned object is in a consistent state
- Any initializer must first invoke the designated initializer of the superclass and check that it did not return a `nil` object
- Initializers can take arguments, typically those that must be passed to properly set instance variables
- It is possible to have more than one initializer, but all other initializers should always call the designated initializer

Structure of initializers

```
- (id) initWithName:(NSString *)name latitude:(double)latitude longitude:(double)longitude;
```

MDPoi.h

```
- (id) initWithName:(NSString *)name latitude:(double)latitude longitude:(double)longitude{  
    if(self = [super init]){  
        _name = [name copy];  
        _latitude = latitude;  
        _longitude = longitude;  
    }  
    return self;  
}
```

MDPoi.m

Declaration of initializers

```
– (id) initWithName:(NSString *)name latitude:(double)latitude longitude:(double)longitude;
```

in iOS6 and before, initializers
should always return **id**

in iOS7 a new special keyword
instancetype has been
introduced to explicitly say that the
method returns an object of the
same type of the object it has been
sent the message

Structure of initializers




– (id) initWithName:(NSString *)name latitude:(double)latitude longitude:(double)longitude;

the name of an initializer starts with
“init” by convention

Structure of initializers

```
- (id) initWithName:(NSString *)name latitude:(double)latitude longitude:(double)longitude;
```

initializer method's arguments



Implementation of initializers

```
- (id) initWithName:(NSString *)name latitude:(double)latitude longitude:(double)longitude{
    if(self = [super init]){
        _name = [name copy];
        _latitude = latitude;
        _longitude = longitude;
    }
    return self;
}
```

Implementation of initializers

```
- (id) initWithName:(NSString *)name latitude:(double)latitude longitude:(double)longitude{  
    if(self = [super init]){  
        _name = [name copy];  
        _latitude = latitude;  
        _longitude = longitude;  
    }  
    return self;  
}
```

call the designated initializer of the superclass

Implementation of initializers

```
- (id) initWithName:(NSString *)name latitude:(double)latitude longitude:(double)longitude{  
    if(self = [super init]){  
        _name = [name copy];  
        _latitude = latitude;  
        _longitude = longitude;  
    }  
    return self;  
}
```

assign the reference returned by the designated initializer of the superclass to `self`

Implementation of initializers

```
- (id) initWithName:(NSString *)name latitude:(double)latitude longitude:(double)longitude{  
    if(self = [super init]){  
        _name = [name copy];  
        _latitude = latitude;  
        _longitude = longitude;  
    }  
    return self;  
}
```

check if the reference to the returned object is not `nil`

Implementation of initializers

```
- (id) initWithName:(NSString *)name latitude:(double)latitude longitude:(double)longitude{  
    if(self = [super init]){  
        _name = [name copy];  
        _latitude = latitude;  
        _longitude = longitude;  
    }  
    return self;  
}
```

set all the instance variables

Implementation of initializers

```
- (id) initWithName:(NSString *)name latitude:(double)latitude longitude:(double)longitude{
    if(self = [super init]){
        _name = [name copy];
        _latitude = latitude;
        _longitude = longitude;
    }
    return self;
}
```

set all the instance variables with properties! **Not a good practice!!!!**


```
- (id) initWithName:(NSString *)name latitude:(double)latitude longitude:(double)longitude{
    if(self = [super init]){
        self.name = name;
        self.latitude = latitude;
        self.longitude = longitude;
    }
    return self;
}
```

Implementation of initializers

```
- (id) initWithName:(NSString *)name latitude:(double)latitude longitude:(double)longitude{  
    if(self = [super init]){  
        _name = [name copy];  
        _latitude = latitude;  
        _longitude = longitude;  
    }  
    return self;  
}
```

return a reference to the
initialized object





Creating an object

```
MDPoi *poi = [[MDPoi alloc] initWithName:@"MyPoi" latitude:45.2 longitude:10.12];
```

Creating an object

```
MDPoi *poi = [[MDPoi alloc] initWithName:@"MyPoi" latitude:45.2 longitude:10.12];
```

call `alloc`, returns a reference to an instance of `MDPoi`

Creating an object

```
MDPoi *poi = [[MDPoi alloc] initWithName:@"MyPoi" latitude:45.2 longitude:10.12];
```

call `initializer` to set
instance variables

Creating an object

```
MDPoi *poi = [[MDPoi alloc] initWithName:@"MyPoi" latitude:45.2 longitude:10.12];
```

`initializer` returns a reference to the initialized instance which is assigned to a pointer for later use

Getting an object

- There are many other ways in which you can get an object, other than calling `alloc/init`

```
NSString *str = [alphabet objectAtIndex:0];
```

- **How do we handle memory in this case?**

Memory management: stack and heap

- In Objective-C, all objects are allocated in the heap, so to access them we always use a pointer to the object
- There are two areas in which memory is managed: the stack and the heap
- Roughly speaking, the **stack** is a memory where data are stored with a last-in first-out policy
- The stack is where local (function) variables are stored
- The **heap** is where dynamic memory is allocated (e.g., when we use `new` in C++)
- Anytime an object is instantiated, we are asking to allocate and return a pointer to an area of the heap of the proper size
- But when we do not need the object anymore, we must free the memory so that it can be used again (`free()` in C or `delete` in C++)

The stack

- Suppose we have the code on the right side of this slide
- What does it happen in the stack?

```
- (void) countdown:(int)n{
    int j;
    if([self isEven:n] == YES) j = n/2;
    else j = n + 1;
    for(j; j > 0; j--){
        NSLog(@"%d", j);
    }
}

- (BOOL) isEven:(int)m{
    BOOL even = (m % 2 == 0);
    if(even == YES) return YES;
    else return NO;
}
```

The stack

- Each time a function gets called (or in OOP-terms, a method gets invoked), an activation record gets created and put in the stack, by copying the values and references in the stack as defined by the method's signature

```
- (void) countdown:(int)n{
    int j;
    if([self isEven:n] == YES) j = n/2;
    else j = n + 1;
    for(j; j > 0; j--){
        NSLog(@"%d", j);
    }
}

- (BOOL) isEven:(int)m{
    BOOL even = (m % 2 == 0);
    if(even == YES) return YES;
    else return NO;
}
```


1

<your code calls countdown>

Stack

The stack

- Each time a function gets called (or in OOP-terms, a method gets invoked), an activation record gets created and put in the stack, by copying the values and references in the stack as defined by the method's signature




Stack

```
- (void) countdown:(int)n{
    int j;
    if([self isEven:n] == YES) j = n/2;
    else j = n + 1;
    for(j; j > 0; j--){
        NSLog(@"%d", j);
    }
}

- (BOOL) isEven:(int)m{
    BOOL even = (m % 2 == 0);
    if(even == YES) return YES;
    else return NO;
}
```

The stack

- Each time a function gets called (or in OOP-terms, a method gets invoked), an activation record gets created and put in the stack, by copying the values and references in the stack as defined by the method's signature




Stack

```
- (void) countdown:(int)n{
    int j;
    if([self isEven:n] == YES) j = n/2;
    else j = n + 1;
    for(j; j > 0; j--){
        NSLog(@"%d", j);
    }
}

- (BOOL) isEven:(int)m{
    BOOL even = (m % 2 == 0);
    if(even == YES) return YES;
    else return NO;
}
```

The stack

- When the method returns, its stack area gets destroyed




```
- (void) countdown:(int)n{
    int j;
    if([self isEven:n] == YES) j = n/2;
    else j = n + 1;
    for(j; j > 0; j--){
        NSLog(@"%d", j);
    }
}

- (BOOL) isEven:(int)m{
    BOOL even = (m % 2 == 0);
    if(even == YES) return YES;
    else return NO;
}
```

The stack

- When the method returns, its stack area gets destroyed



Stack


```
- (void) countdown:(int)n{
    int j;
    if([self isEven:n] == YES) j = n/2;
    else j = n + 1;
    for(j; j > 0; j--){
        NSLog(@"%d", j);
    }
}

- (BOOL) isEven:(int)m{
    BOOL even = (m % 2 == 0);
    if(even == YES) return YES;
    else return NO;
}
```

The heap

- Dynamic memory allocation allows to create and destroy objects on-the-fly as you need in your code
- As said before, dynamic memory allocation is performed in the heap, which is an area of memory managed by the operating system to be used as a common resource among processes
- When calling `malloc()` in C, or `new` in C++, the operating system will try to allocate the needed amount of space in the heap and return a pointer to the allocated area
- Once you get a pointer to the allocated area, it is your responsibility to use it and keep track of it, so that it can be freed once you are done using it: failing to free allocated memory in the heap results in a *memory leak*, which eventually might end up consuming all the memory resources of your OS

```
char* cstr = malloc(sizeof(char)*6);  
for(int i = 0; i < 5; i++)  
    cstr[i] = ('a' + i);  
cstr[6] = '\\0';  
NSLog(@"%s", cstr);  
free(cstr);
```



The heap

`malloc` returns the address of an area in the heap of the right size which is assigned to a pointer



```
char* cstr = malloc(sizeof(char)*6);
```

```
for(int i = 0; i < 5; i++)  
    cstr[i] = ('a' + i);
```

```
cstr[6] = '\\0';
```

```
NSLog(@"%s", cstr);
```


```
free(cstr);
```



Heap

The heap

```
char* cstr = malloc(sizeof(char)*6);  
  
for(int i = 0; i < 5; i++)  
    cstr[i] = ('a' + i);  
  
cstr[6] = '\\0';  
  
NSLog(@"%s", cstr);  
  
free(cstr),
```



Heap

it is possible to access
the allocated memory
through the pointer

The heap

```
char* cstr = malloc(sizeof(char)*6);
```


```
for(int i = 0; i < 5; i++)  
    cstr[i] = ('a' + i);
```

```
cstr[6] = '\\0';
```

```
NSLog(@"%s", cstr);
```

```
free(cstr);
```

memory is deallocated by
calling `free()`



Heap

Memory management

- Originally, Objective-C did not have anything like Java's garbage collector
- The technique used in Objective-C to achieve this is called **reference counting**
- Reference counting means that:
 1. we keep a count of the number of times that we point to an object
 2. when we need to get a reference to the object, we increment the count
 3. when we are done with it, we decrease the count
 4. when the counter goes to 0, the memory is freed (accessing a freed object will crash application): the method `dealloc` (inherited by `NSObject`) gets invoked

Manual Reference Counting

- An object returned by `alloc/init` has a reference count of 1
- NSObject defines two methods used to increment and decrement the reference count:
 - `retain`: increase the reference count by 1
 - `release`: decrease the reference count by 1
- We retain an object when we need to use it; the object is retained as long as needed in order to avoid that it will be destroyed while we are using it
- We release the object when we are done using it, so that the reference count can decrease and eventually reach 0 to be freed
- The method `retainCount` (inherited by `NSObject`) can be used to get the current reference count of an object

Manual Reference Counting

```
MDPoi *poi = [[MDPoi alloc] initWithName:@"MyPoi" latitude:45.2 longitude:10.12]; ← retain count = 1
NSLog(@"retain count = %d", [poi retainCount]);
[poi retain];
NSLog(@"retain count = %d", [poi retainCount]);
[poi retain];
NSLog(@"retain count = %d", [poi retainCount]);
[poi release];
NSLog(@"retain count = %d", [poi retainCount]);
[poi release];
NSLog(@"retain count = %d", [poi retainCount]);
[poi release];
```

Manual Reference Counting

```
MDPoi *poi = [[MDPoi alloc] initWithName:@"MyPoi" latitude:45.2 longitude:10.12];
NSLog(@"retain count = %d", [poi retainCount]);
[poi retain]; ←
NSLog(@"retain count = %d", [poi retainCount]);
[poi retain];
NSLog(@"retain count = %d", [poi retainCount]);
[poi release];
NSLog(@"retain count = %d", [poi retainCount]);
[poi release];
NSLog(@"retain count = %d", [poi retainCount]);
[poi release];
```

retain count = 2

Manual Reference Counting

```
MDPoi *poi = [[MDPoi alloc] initWithName:@"MyPoi" latitude:45.2 longitude:10.12];
NSLog(@"retain count = %d", [poi retainCount]);
[poi retain];
NSLog(@"retain count = %d", [poi retainCount]);
[poi retain]; ←
NSLog(@"retain count = %d", [poi retainCount]);
[poi release];
NSLog(@"retain count = %d", [poi retainCount]);
[poi release];
NSLog(@"retain count = %d", [poi retainCount]);
[poi release];
```

retain count = 3

Manual Reference Counting

```
MDPoi *poi = [[MDPoi alloc] initWithName:@"MyPoi" latitude:45.2 longitude:10.12];
NSLog(@"retain count = %d", [poi retainCount]);
[poi retain];
NSLog(@"retain count = %d", [poi retainCount]);
[poi retain];
NSLog(@"retain count = %d", [poi retainCount]);
[poi release]; ←
NSLog(@"retain count = %d", [poi retainCount]);
[poi release];
NSLog(@"retain count = %d", [poi retainCount]);
[poi release];
```

retain count = 2

Manual Reference Counting

```
MDPoi *poi = [[MDPoi alloc] initWithName:@"MyPoi" latitude:45.2 longitude:10.12];
NSLog(@"retain count = %d", [poi retainCount]);
[poi retain];
NSLog(@"retain count = %d", [poi retainCount]);
[poi retain];
NSLog(@"retain count = %d", [poi retainCount]);
[poi release];
NSLog(@"retain count = %d", [poi retainCount]);
[poi release]; ← retain count = 1
NSLog(@"retain count = %d", [poi retainCount]);
[poi release];
```

retain count = 1

Manual Reference Counting

```
MDPoi *poi = [[MDPoi alloc] initWithName:@"MyPoi" latitude:45.2 longitude:10.12];
NSLog(@"retain count = %d", [poi retainCount]);
[poi retain];
NSLog(@"retain count = %d", [poi retainCount]);
[poi retain];
NSLog(@"retain count = %d", [poi retainCount]);
[poi release];
NSLog(@"retain count = %d", [poi retainCount]);
[poi release];
NSLog(@"retain count = %d", [poi retainCount]);
[poi release]; ← retain count = 0
```

Manual Reference Counting

```
MDPoi *poi = [[MDPoi alloc] initWithName:@"MyPoi" latitude:45.2 longitude:10.12];
NSLog(@"retain count = %d", [poi retainCount]);
[poi retain];
NSLog(@"retain count = %d", [poi retainCount]);
[poi retain];
NSLog(@"retain count = %d", [poi retainCount]);
[poi release];
NSLog(@"retain count = %d", [poi retainCount]);
[poi release];
NSLog(@"retain count = %d", [poi retainCount]);
[poi release];
```

retain count = 0

object `poi` gets
deallocated!

Manual Reference Counting

```
MDPoi *poi = [[MDPoi alloc] initWithName:@"MyPoi" latitude:45.2 longitude:10.12];
NSLog(@"retain count = %d", [poi retainCount]);
[poi retain];
NSLog(@"retain count = %d", [poi retainCount]);
[poi retain];
NSLog(@"retain count = %d", [poi retainCount]);
[poi release];
NSLog(@"retain count = %d", [poi retainCount]);
[poi release];
NSLog(@"retain count = %d", [poi retainCount]);
[poi release];
```

retain count = 0

object `poi` gets
deallocated!

Object ownership

- The memory management model is based on object ownership
- Any object may have one or more owners
- As long as an object has at least one owner, it continues to exist
- Rules for object ownership:
 1. You own any object you create (using `alloc/init`)
 2. You can take ownership of an object using `retain` (since the original owner is who created it)
 3. When you no longer need it, you must relinquish ownership of an object you own using `release`
 4. You must not relinquish ownership of an object you do not own
- The number of `alloc/init` and `retain` must always match that of `release`

Temporary object ownership

- There are times when sending a release message might create a premature deallocation of an object

```
- (NSArray *)getAllPois{
    NSMutableArray *array = [[NSMutableArray alloc] init];
    ...
    [array release];
    return array;
}
```

Temporary object ownership

- There are times when sending a release message might create a premature deallocation of an object

```
- (NSArray *)getAllPois{  
    NSMutableArray *array = [[NSMutableArray alloc] init];  
    ...  
    [array release];  
    return array;  
}
```

`release` brings reference count to 0 and gets deallocated, so the returned object does not exist anymore

Temporary object ownership

- There are times when sending a release message might create a premature deallocation of an object

```
- (NSArray *)getAllPois{
    NSMutableArray *array = [[NSMutableArray alloc] init];
    ...
    [array release];
    return array;
}
```

- To avoid this situation, we must instruct the object to be released later on: use **autorelease**

```
- (NSArray *)getAllPois{
    NSMutableArray *array = [[NSMutableArray alloc] init];
    ...
    [array autorelease];
    return array;
}
```

Temporary object ownership

- There are times when sending a release message might create a premature deallocation of an object

```
- (NSArray *)getAllPois{
    NSMutableArray *array = [[NSMutableArray alloc] init];
    ...
    [array release];
    return array;
}
```

- To avoid this situation, we must instruct the object to be released later on: use **autorelease**

```
- (NSArray *)getAllPois{
    NSMutableArray *array = [[NSMutableArray alloc] init];
    ...
    [array autorelease];
    return array;
}
```

autorelease sends a deferred **release** message, so the object gets deallocated after it is returned

Temporary object ownership

- It is possible to avoid the use of `alloc/init` and `autorelease`

```
- (NSArray *)getAllPois{
    NSMutableArray *array = [[NSMutableArray alloc] init];
    ...
    [array autorelease];
    return array;
}
```

- We can get an `autorelease`d object so we don't need to worry about (auto)releasing it

```
- (NSArray *)getAllPois{
    NSMutableArray *array = [NSMutableArray array];
    ...
    return array;
}
```

the `array` method returns an autorelease object, which can be returned

Temporary object ownership

- Many classes provide both
 - initializers to be used to get an object you own
 - methods that return an **autoreleased** object, which you do not own
- Common examples of methods returning **autoreleased** objects:

```
NSString *str = [NSString stringWithFormat:@"item %d", i];
```

```
NSArray *array = [NSArray arrayWithObjects:@"one", @"two", @"three", nil];
```

```
NSDictionary *dict = [NSDictionary dictionaryWithObjectsAndKeys:  
    @"key1", @"value1",  
    @"key2", @"value2", nil];
```

Deallocating memory

- When the reference count of an object reaches 0, its `dealloc` method is invoked
- `dealloc` is inherited from `NSObject`, so if you do not implement it the default method is used
- `dealloc` must never be called directly, as it is automatically called when the reference count reaches 0
- `dealloc` must be overridden if your class has instance variables of a non-primitive type
- The last instruction of `dealloc` must be a call to the superclass implementation of `dealloc` (only time you are authorized to call `dealloc` directly)

```
- (void) dealloc{  
    [_name release];  
    [super dealloc];  
}
```

Memory management with properties

- What about ownership of objects returned by getters or passed in to setters?
- Typically, getters return an object that is going to live long enough to be retained (similarly to an autoreleased object)
- Setters should retain the object being set (or we would have an object that might be deallocated)
- The problem is: what happens when properties are **@synthesized**?
- There are three options to tell how the setters should be implemented: **retain**, **copy**, and **assign**

```
@property (retain) NSString *name;
```

```
@property (copy) NSString *name;
```

```
@property (assign) NSString *name;
```

Properties: retain

```
@property (retain) NSString *name;
```

`retain` means that the instance variable backing the property is retained

```
@synthesize name;
```



```
- (void) setName:(NSString *)name{  
    [_name release];  
    _name = [name retain];  
}
```

Properties: retain

```
@property (retain) NSString *name;
```

```
@synthesize name;
```

```
- (void) setName:(NSString *)name{  
    [_name release];  
    _name = [name retain];  
}
```

1

first, the current object is sent a **release** message, since it is no longer used (ok if it is **nil**!)

Properties: retain

```
@property (retain) NSString *name;
```

```
@synthesize name;
```

```
- (void) setName:(NSString *)name{  
    [_name release];  
    _name = [name retain];  
}
```

2

next, the new object is sent a **retain** message, since we are going to use it

Properties: copy

```
@property (copy) NSString *name;
```

`copy` means that the instance variable backing the property is copied

```
@synthesize name;
```



```
- (void) setName:(NSString *)name{  
    [_name release];  
    _name = [name copy];  
}
```

Properties: assign

```
@property (assign) NSString *name;
```

`assign` means that the instance variable backing the property is not retained

```
@synthesize name;
```



```
- (void) setName:(NSString *)name{  
    _name = name;  
}
```

Good practice

Do not use accessor methods in initializers!

- Using accessor methods (both by sending a message or by using the property, which are equivalent) is bad because accessor methods might rely on some state of the object, while in the initializer we have no guarantee about the state since it is being initialized

```
- (id) initWithName:(NSString *)name latitude:(double)latitude longitude:(double)longitude{
    if(self = [super init]){
        self.name = name;
        self.latitude = latitude;
        self.longitude = longitude;
    }
    return self;
}
```

Good practice

Do not use accessor methods in initializers!

- Using accessor methods (both by sending a message or by using the property, which are equivalent) is bad because accessor methods might rely on some state of the object, while in the initializer we have no guarantee about the state since it is being initialized

```
- (id) initWithName:(NSString *)name latitude:(double)latitude longitude:(double)longitude{  
    if(self = [super init]){  
        self.name = name;  
        self.latitude = latitude;  
        self.longitude = longitude;  
    }  
    return self;  
}
```

Good practice



Do not use accessor methods in initializers!

- Using accessor methods (both by sending a message or by using the property, which are equivalent) is bad because accessor methods might rely on some state of the object, while in the initializer we have no guarantee about the state since it is being initialized

```
- (id) initWithName:(NSString *)name latitude:(double)latitude longitude:(double)longitude{
    if(self = [super init]){
        _name = [name copy];
        _latitude = latitude;
        _longitude = longitude;
    }
    return self;
}
```

Good practice

Do not use accessor methods in dealloc!



- If we are in `dealloc`, it means that the object has a reference count of 0 and that it is being deallocated, so it is neither safe nor appropriate to send messages


```
- (void) dealloc{  
    [_name release];  
    [super dealloc];  
}
```

Automatic Reference Counting

- Since iOS 4, a new feature has been introduced to simplify life of Objective-C programmers for managing memory allocation: **Automatic Reference Counting (ARC)**
- ARC delegates the responsibility to perform reference counting from the programmer to the compiler
- `retain`, `release`, and `autorelease` must no longer be explicitly invoked
- ARC evaluates the lifetime requirements of objects and automatically inserts appropriate memory management calls for you at compile time
- The compiler also generates appropriate `dealloc` methods; implement a custom `dealloc` if you need to manage resources other than releasing instance variables, but in any case you must not call `[super dealloc]`, since ARC does it automatically
- Corollary: with ARC, the use of `retain`, `release`, `autorelease`, `retainCount`, and `dealloc` is forbidden
- ARC is NOT Garbage Collection, since no process is being executed to cleanup memory

Automatic Reference Counting

- How does code get updated with ARC?



Automatic Reference Counting

- How does code get updated with ARC?

MRC

```
- (NSArray *) getAllPois{
    NSMutableArray *array = [[NSMutableArray alloc] init];
    ...
    [array autorelease];
    return array;
}
```

Automatic Reference Counting

- How does code get updated with ARC?

MRC

```
- (NSArray *) getAllPois{  
    NSMutableArray *array = [[NSMutableArray alloc] init];  
    ...  
    [array autorelease];  
    return array;  
}
```

`autorelease` is used to defer the release of the object

Automatic Reference Counting

- How does code get updated with ARC?

MRC

```
- (NSArray *) getAllPois{
    NSMutableArray *array = [[NSMutableArray alloc] init];
    ...
    [array autorelease];
    return array;
}
```

ARC

```
- (NSArray *) getAllPois{
    NSMutableArray *array = [[NSMutableArray alloc] init];
    ...
    ...
    return array;
}
```

autorelease is used to defer the release of the object

Automatic Reference Counting

- How does code get updated with ARC?

MRC

```
- (NSArray *) getAllPois{  
    NSMutableArray *array = [[NSMutableArray alloc] init];  
    ...  
    [array autorelease];  
    return array;  
}
```

autorelease is used to defer the release of the object

ARC

```
- (NSArray *) getAllPois{  
    NSMutableArray *array = [[NSMutableArray alloc] init];  
    ...  
    ...  
    return array;  
}
```

the compiler generates the appropriate call for releasing the object

Properties with ARC

- What about the ownership of objects returned by accessor methods?
- The implementation of the accessor methods depends on the declaration of the properties
- ARC introduces the concept of **weak references**
- A weak reference does not extend the lifetime of the object it points to, and automatically becomes **nil** when there are no strong references to the object
- The keywords **weak** and **strong** are introduced to manage weak and strong references for objects

Properties with ARC: **strong**

- **strong** properties are equivalent to **retain** properties

```
@property (strong) MyClass *myObject;
```

ARC



```
@property (retain) MyClass *myObject;
```

MRC

Properties with ARC: **weak**

- **weak** properties are similar to **assign** properties
- If the **MyClass** instance is deallocated, the property value is set to nil instead of remaining as a dangling pointer

```
@property (weak) MyClass *myObject;
```

ARC



```
@property (assign) MyClass *myObject;
```

MRC

New lifetime qualifiers


- ARC also introduces new lifetime qualifiers for objects:
- `__strong` (default): the object remains “alive” as long as there is a strong pointer to it



```
NSString* __strong string;  
NSString* string;
```

New lifetime qualifiers

- ARC also introduces new lifetime qualifiers for objects:
- `__strong` (default): the object remains “alive” as long as there is a strong pointer to it
- `__weak` specifies a reference that does not keep the referenced object alive (a weak reference is set to `nil` when there are no strong references to the object)



New lifetime qualifiers

- ARC also introduces new lifetime qualifiers for objects:

- **__strong** (default): the object remains “alive” as long as there is a strong pointer to it



```
NSString* __strong string;  
NSString* string;
```

- **__weak** specifies a reference that does not keep the referenced object alive (a weak reference is set to **nil** when there are no strong references to the object)



```
NSString* __weak string;
```

- **__unsafe_unretained** specifies a reference that does not keep the referenced object alive and is not set to **nil** when there are no strong references to the object (if the object it references is deallocated, the pointer is left dangling, as with **assign** properties)



```
NSString* __unsafe_unretained string;
```

New lifetime qualifiers

- ARC also introduces new lifetime qualifiers for objects:

- **__strong** (default): the object remains “alive” as long as there is a strong pointer to it



```
NSString* __strong string;  
NSString* string;
```

- **__weak** specifies a reference that does not keep the referenced object alive (a weak reference is set to **nil** when there are no strong references to the object)



```
NSString* __weak string;
```

- **__unsafe_unretained** specifies a reference that does not keep the referenced object alive and is not set to **nil** when there are no strong references to the object (if the object it references is deallocated, the pointer is left dangling, as with **assign** properties)



```
NSString* __unsafe_unretained string;
```

- **__autoreleasing** is used to denote arguments that are passed by reference and are **autoreleased** on return



```
NSString* __autoreleasing string;
```

New lifetime qualifiers

- ARC also introduces new lifetime qualifiers for objects:

- **__strong** (default): the object remains “alive” as long as there is a strong pointer to it



```
NSString* __strong string;  
NSString* string;
```

- **__weak** specifies a reference that does not keep the referenced object alive (a weak reference is set to **nil** when there are no strong references to the object)



```
NSString* __weak string;
```

- **__unsafe_unretained** specifies a reference that does not keep the referenced object alive and is not set to **nil** when there are no strong references to the object (if the object it references is deallocated, the pointer is left dangling, as with old **assign** properties)



```
NSString* __unsafe_unretained string;
```

- **__autoreleasing** is used to denote arguments that are passed by reference and are **autoreleased** on return



```
NSString* __autoreleasing string;
```

Protocols

- Objective-C provides a way to define a set of methods similarly to Java interfaces: **protocols**
- Interfaces (.h files) are used to declare the methods and properties associated with a class
- Protocols declare the methods expected to be used for a particular situation
- Sometimes it is not important who is going to perform an action, we just need to know that someone is going to do it (e.g., table view data source)
- **Protocols define messaging contracts**
- A protocol is used to declare methods and properties that are independent of any specific class
- The usage of protocols allows to maximize the reusability of code by minimizing the interdependence among parts of your code

Defining a protocol

- Protocols are defined in the interface file, between the `@protocol` directive and the corresponding `@end`

```
@protocol MyProtocol

// definition of methods and properties
- (void)method1;
- (NSString *)method2;
- (NSArray *)method3:(NSString *)str;

@end
```

Defining a protocol

- `@protocol` methods can be declared as `@required` (default) or `@optional`

```
@protocol MyProtocol
```

- `(void)method1;`
- `(NSString *)method2;`

```
@optional
```

- `(void)optionalMethod;`

```
@required
```

- `(NSArray *)method3:(NSString *)str;`

```
@end
```

Defining a protocol

- `@protocol` methods can be declared as `@required` (default) or `@optional`

```
@protocol MyProtocol
```





```
- (void)method1;  
- (NSString *)method2;
```

```
@optional  
- (void)optionalMethod;
```

```
@required  
- (NSArray *)method3:(NSString *)str;
```

```
@end
```

Required methods



Defining a protocol

- `@protocol` methods can be declared as `@required` (default) or `@optional`

```
@protocol MyProtocol
```


```
- (void)method1;  
- (NSString *)method2;
```

```
@optional  
- (void)optionalMethod;
```

```
@required  
- (NSArray *)method3:(NSString *)str;
```


```
@end
```

Optional methods



Conforming to protocols

- Classes that implement the required methods defined in a protocol are said to **conform to the protocol**
- Or the other way: if a class is willing to conform to a protocol, it must implement all the required methods defined in the protocol definition
- By conforming to a protocol, a class is allowed to be used to provide concrete behavior to parts of the program that depend on such behavior but do not depend on a specific implementation of that behavior
- For example:
 - `UITableViewDataSource` is a protocol that defines methods that a `UITableView` depends on
 - `UITableView` implementation (how it is displayed, ...) is independent however from the data it has to display
 - `UITableView` uses a `UITableViewDataSource` to fetch the data it will display
 - a class that conforms to `UITableViewDataSource` will then be passed to the `UITableView` at runtime



Defining a class that conforms to a protocol


- In order for a class to conform to a protocol, it must:
 1. declare it between angle brackets

```
@interface MyClass : NSObject<MyProtocol>{  
  
    ...  
  
}  
@end
```

Defining a class that conforms to a protocol

- In order for a class to conform to a protocol, it must:

1. declare it between angle brackets



```
@interface MyClass : NSObject<MyProtocol>{  
  
    ...  
}  
@end
```

Defining a class that conforms to a protocol

- In order for a class to conform to a protocol, it must:

1. declare it between angle brackets
2. implement the required protocol methods

```
@protocol MyProtocol
- (void)method1;
- (NSString *)method2;

@optional
- (void)optionalMethod;

@required
- (NSArray *)method3:(NSString *)str;

@end
```


```
@implementation MyClass
- (void)method1{
    ...
}
- (NSString *)method2{
    ...
}
- (NSArray *)method3:(NSString *)str{
    ...
}

@end
```

Defining a class that conforms to a protocol

- In order for a class to conform to a protocol, it must:

1. declare it between angle brackets
2. implement the required protocol methods



Protocols

- Since some methods may have been declared as optional, it is important to check at runtime whether the target object has implemented a method before sending a message to it

```
if ([target respondsToSelector:@selector(aMethod:)]) {  
    ...  
}
```

Categories

- Sometimes, you may wish to extend an existing class by adding behavior that is useful only in certain situations
- Subclassing in those situations might be a “hard” approach
- Objective-C provides a solution to manage these situations in a clean and lightweight way: **categories**
- Categories add methods to existing classes, without subclassing
- If you need to add a method to an existing class, perhaps to add functionality to make it easier to do something in your own application, the easiest way is to use a category

Defining a category that enhances a class

- In order to define a category for a class, you must:
 1. “re-define” the class with the `@interface` directive
 2. specify the name of the category between parentheses
 3. declare the new methods
 4. provide an implementation for the category in the `.m` file using the `@implementation` directive
- There is a naming convention for the name of the files: `<BaseClass>+<Category>.h` and `<BaseClass>+<Category>.m`

Example: a category that enhances NSString

```
@interface NSString (MyCategory)
- (int) countOccurrences:(char)c;
@end
```

NSString+MyCategory.h

```
@implementation NSString (MyCategory)
- (int) countOccurrences:(char)c{
    ...
}
@end
```

NSString+MyCategory.m

```
#import "NSString+MyCategory.h"
...
int occurA = [self.name countOccurrences:'a'];
...
```

usage


A trick with categories: private methods and properties

- It is nice to have utility methods that you use in your class “privately” and that you do not want to expose
- We have seen that the @private modifier can be used in conjunction with attributes in order to restrict the visibility of the variables
- Unfortunately, this does not apply with methods
- A little workaround to get private methods in your class is to define an anonymous category in your implementation file and declare your private methods there
- Since the declaration is inside the implementation file, it will be hidden to other classes

A trick with categories: private methods and properties

```
@interface MDPoi ()  
  
@property (strong) NSString *name;  
  
- (void) privateMethod;  
  
@end  
  
@implementation MDPoi  
  
@synthesize name = _name;  
  
- (void) privateMethod{  
    ...  
}  
  
@end
```

MDPoi.m



iOS Development

Lecture 1

Introduction to Objective-C

Ing. Simone Cirani

email: simone.cirani@unipr.it

<http://www.tlc.unipr.it/cirani>